

COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY BLUE RIDGE REGIONAL OFFICE

L. Preston Bryant, Jr.
Secretary of Natural Resources
7705 Timberlake Road, Lynchburg, Virginia 24502
(434) 582-5120 Fax (434) 582-5125
www.deq.virginia.gov

David K. Paylor Director

Steven A. Dietrich Regional Director

Lynchburg Office 7705 Timberlake Road Lynchburg, Virginia 24502 (434) 582-5120 Fax (434) 582-5125

April 8, 2009

Roanoke Office 3019 Peters Creek Road Roanoke, Virginia 24019 (540) 562-6700 Fax (540) 562-6725

Mr. Claude M. "Butch" Royal Owner Royal Mobile Homes, Inc. 134 Royal Ridge Circle Rustburg, Virginia 24588 CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Re:

Reissuance VPDES Permit Number VA0062031 - Evergreen Mobile Home Park STP

Campbell County, Virginia

Dear Mr. Royal:

Please find your VPDES permit enclosed along with the final public participation item (No. 29) of the fact sheet. A Discharge Monitoring Report (DMR) form is included with the permit. Please make additional copies of the DMRs for future use. The first DMR for outfall 001 (monthly monitoring starting May 1, 2009) is due by **June 10, 2009**. Please send DMRs to:

Virginia Department of Environmental Quality Blue Ridge Regional Office - Lynchburg 7705 Timberlake Road Lynchburg, VA 24502

Note that DEQ has launched an e-DMR program that allows you to submit the effluent data electronically. If you are interested in participating in this program please visit the following website for details:

http://www.deg.virginia.gov/water/edmrfaq.html

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to the period.

Evergreen Mobile Home Park STP Final VPDES Permit Transmittal Page 2 of 2

Alternatively, any owner under §§62.1-44.16, 62.1-44.17, and 62.1-44.19 of the State Water Control Law aggrieved by any action of the state water Control Board taken without formal hearing, or by inaction of the Board, may demand in writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in §1.23(b) of the Board's Procedural Rule No. 1. In cases involving actions of the Board, such petition must be filed within thirty days after notice of such action is mailed to such owner by certified mail.

If you have any questions about the permit, please call Kevin A. Crider at (434) 582-6212 or by e-mail at kacrider@deq.virginia.gov.

Sincerely,

Steven A. Dietrich, P.E.

Regional Director

Enclosure:

Fact Sheet Public Participation Item (No.29), DMRs and VPDES Permit

cc:

OWPP (electronic copy)

EPA, Region III-3WP12 (electronic copy) SCRO Compliance Auditor (electronic copy)

Permit File (VA0062031)

As noted in the sludge application form submitted with the revoke and reissuance package, the STP transports sludge to Lynchburg Regional Wastewater Treatment Plant for additional treatment. It is also noted that as a backup sludge is transported and disposed at Campbell County Landfill.

22. MATERIAL STORED: List the type and quantity of wastes, fluids, or pollutants being stored at this facility. Briefly describe the storage facilities and list, if any, measures taken to prevent the stored material from reaching State waters.

Soda Ash – 1200lbs (inside building adjacent to laboratory)

23. **RECEIVING WATERS INFORMATION:** Refer to the State Water Control Board's Water Quality Standards [e.g., River Basin Section Tables (9 VAC 25-260 - Part IX) [along with Parts VII and VIII]. Use 9 VAC 25-260-140 C (introduction and numbered paragraph) to address tidal waters where fresh water standards would be applied or transitional waters where the most stringent of fresh or salt water standards would be applied. Attach any memoranda or other information which helped to develop permit conditions (i.e. flow determination memo, tier determinations, PReP complaints, special water quality studies, STORET data and other biological and/or chemical data, etc.

SEE ATTACHMENT 9

24. 303(d) LISTED SEGMENTS: Indicate if the facility discharges directly to a segment that is listed on the current 303(d) list, if the allocations are specified by an approved TMDL and, if so, provide all appropriate information/calculations. If the facility discharges directly to a stream segment that is on the current 303(d) list, the fact sheet must include a description of how the TMDL requirements are being met.

TMDLs are not included in this permit as the receiving waters are not listed on the 303(d) list.

25. CHANGES TO PERMIT: Use TABLE A to record any changes from the previous permit and the rationale for those changes. Use TABLE B to record any changes made to the permit during the permit processing period and the rationale for those changes [i.e., use for comments from the applicant, VDH, EPA, other agencies and/or the public where comments resulted in changes to the permit limitations or any other changes associated with the special conditions or reporting requirements].

SEE ATTACHMENT 10

26. NPDES INDUSTRIAL PERMIT RATING WORKSHEET:

N/A - This is a municipal facility.

27. EPA/VIRGINIA DRAFT PERMIT SUBMISSION CHECKLIST:

SEE ATTACHMENT 11

28. **DEQ PLANNING COMMENTS RECEIVED ON DRAFT PERMIT:** Document any comments received from DEQ planning.

The discharge is not addressed in any planning document but will be included when the plan is updated.

29. **PUBLIC PARTICIPATION:** Document comments/responses received during the public participation process. If comments/responses provided, especially if they result in changes to the permit, place in the attachment.

VDH COMMENTS RECEIVED ON DRAFT PERMIT: Document any comments received from the Virginia Dept. of Health and noted how resolved.

PERMITTEE NAME/ADDRESS(INCLUDE FACILITY NAME/LOCATION IF DIFFERENT)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM(NPDES) COMMONWEALTH OF VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY

DISCHARGE MONITORING REPORT(DMR)

001 VA0062031

DISCHARGE NUMBER MO DAY YEAR 10 DAY PERMIT NUMBER õ

YEAR

VA 24501

NAME Bvergreen Mobile Home Park ADDRESS P O Box 2143

Lynchburg

FACILITY St Rt 680

FROM

04/06/2009 Municipal Minor

DEPT. OF ENVIRONMENTAL QUALITY (REGIONAL OFFICE)

South Central Regional Office 7705 Timberlake Rd

Lynchburg

VA 24502

NOTE: READ PERMIT AND GENERAL INSTRUCTIONS BEFORE COMPLETING THIS FORM.

| | | | and the second | | | - | | | | | |
|--|----------|---------|---------------------|-------|---------|--------------------------|-------------|-------|----------------|-----------------|--------|
| PARAMETER | | QUANTIT | QUANTITY OR LOADING | | Ø | QUALITY OR CONCENTRATION | ICENTRATION | | <u>-</u> 9ì | FREQUENCY OF | SAMPLE |
| ` | | AVERAGE | MAXIMUM | STIND | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | 1 1 |
| 001 FLOW | REPORTD | | | | ***** | **** | **** | | | | |
| | REGRMNT | 0.024 | NL | MGD | **** | **** | **** | | | 1/DAY | EST |
| на 200 | REPORTD | ***** | ***** | | | ***** | | | | | |
| | REGRMNT | ***** | **** | | 6.0 | **** | 9.0 | SG | | 1/DAY | GRAB |
| 004 TSS | REPORTD | | | | ****** | | | | | | |
| | REGRMNT | 2.7 | 4.08 | KG/D | **** | 30 | 45 | MG/L | | I/M | GRAB |
| 00.7 DO | REPORTD | **** | **** | | | ***** | ***** | | | | |
| | REGRMNT | ***** | ***** | | 6.0 | ***** | ***** | MG/L | | 1/DAY | GRAB |
| 039 AMMONIA, AS N | REPORTD | **** | **** | | ***** | | | | | | |
| | RECRMNT | **** | **** | | **** | 2.05 | 2.05 | MG/L | | 1/M | GRAB |
| 068 TKN (N-KJEL) | REPORTD | | | | ***** | | | | | | |
| | RECRMNT | 0.63 | se*0 | KG/D | *** | 7.0 | 10.5 | MG/L | | 1/M | GRAB |
| 120 E.COLI | REPORTD | ***** | ***** | | ***** | | **** | | | | |
| | REGRMNT | ***** | **** | | ***** | 126 | **** | N/CML | | T/W | GRAB |
| 159 CBODS | яеровтр | | | | **** | | | | | | |
| | REGRIMNT | 1.27 | 1.9 | KG/D | **** | 14 | 21 | MG/L | | 1/M | GRAB |
| ADDITIONAL PERMIT REQUIREMENTS OR COMMENTS | OMMENTS | | | | | | | | | | |

| ш | | | Z | | | | - | 2 | • | | |
|--------------------------------|-----------|---|--|--|---|--|---|---|---|--|--|
| DATE | | | YEAR | | | | | A 2 2 2 | Í | | |
| | | | CERTIFICATE NO. | TELEPHONE | | | | | | | |
| OPERATOR IN RESPONSIBLE CHARGE | | | SIGNATURE | ER OR AUTHORIZED AGENT | | | | SIGNATINE | | | |
| OPERATOR IN R | | | TYPED OR PRINTED NAME | THE SYSTEM OR PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | | | INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS. SEE 18 TYDED OB DEINTER NAME | ווירבט סאר זאואו בט ויסיייב | | |
| TOTAL BODS(K.G.) | | A THE ACTION OF A PERSON AS A | PREPARED THOUSEN FOREIGN OF SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT CHAIFTED PRECION OF SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT CHAIFTED PRECONNEL, PROPERTY CATTER AND FVALLARY THE INFORMATION | HO MANAGE THE SYSTEM OR | THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION | ACCURATE AND COMPLETE. | . AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, | OWING VIOLATIONS. SEE 18 | U.S.C. & 1001 AND 33 U.S.C. & 1319. (Ponalties under these statutes may include | fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.) | |
| TOTAL FLOW(M.G.) | | CECUTEV INDEE DENISTEY OF LAW WAST TOTO DOCUMENT ALL AND CONDITION OF USE | INTERPOLITIES DE SEUSION IN ACCORDANCE PROPERLY GATHER AND EV | SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE | FOR GATHERING THE INFO | SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE | UT PENALTIES FOR SUBMI | ND IMPRISONMENT FOR KN | (Ponalties under thes | imprisonment of betwee | |
| TOTAL OCCURRENCES | | TRUM MAIL OF VILLEWRO | FEMALLI OF LAW INC. MY DIRECTION OR SUPER | D ON MY INQUIRY OF TH | IRECTLY RESPONSIBLE R | THE BEST OF MY KNOWI | THERE ARE SIGNIFICAN | OSSIBILITY OF FINE AM | ND 33 U.S.C. & 1319. | ,000 and/or maximum: | |
| BYPASSES AND | OVERFLOWS | DEPTTRY TRUBB | PREPARED UNDER 1 TO ASSURE THAT | SUBMITTED, BASE | THOSE PERSONS D. | SUBMITTED IS TO | I AM AWARE THAT | INCLUDING THE P. | U.S.C. & 1001 A | fines up to \$10 | |

DΑY

Ğ,

DAY

Š

THIS REPORT IS REQUIRED BY LAW (33 U. S. C. § 1318 40 CFR 122.41(I)(4)(I)). FAILURE TO REPORT OR FAILURE TO REPORT TRUTHFULLY CAN RESULT IN CIVIL PENALTIES NOT TO EXCEED \$25,000 PER DAY OF VIOLATION OR BY IMPRISONMENT FOR NOT MORE THAN FIVE YEARS, OR BOTH.

GENERAL INSTRUCTIONS

- Complete this form in permanent ink or indelible pencil.
- Be sure to enter the dates for the first and last day of the period covered by the report on the form in the space marked "Monitoring Period". 4
- For those parameters where the "permit requirement" spaces are blank or a limitation appears, provide data in the "reported" spaces in accordance with your permit. 6
- Enter the average and, if appropriate, maximum quantities and units in the "reported" spaces in the columns marked "Quantity or Loading" $KG/DAY = Concentration(mg/l) \times Flow(MGD) \times 3.785.$ 4
- Enter maximum, minimum, and/or average concentrations and units in the "reported" spaces in the columns marked "Quality or Concentration". ເດ່
- Enter the number of samples which do not comply with the maximum and lor minimum permit requirements in the "reported" space in the column marked "No. Ex.". Ġ
- Enter the actual frequency of analysis for each parameter (number of times per day, week, month) in the "reported" space in the column marked "Frequency of Analysis". ~
- Enter the actual type of sample collected for each parameter in the "reported" space in the column marked "Sample Type". ထ
- Enter additional required data or comments in the space marked "additional permit requirements or comments",

တ်

- Record the number of bypasses during the month, the total flow in million gallons and BOD5 in kilograms in the proper columns in the section marked "Bypasses and Overflows". 10
- The operator in responsible charge of the facility should review the form and sign in the space provided. If the plant is required to have a licensed operator, the operator's certificate number should be reported in the space provided.
- The principal executive officer should then review the form and sign in the space provided and provide a telephone number where he/she can be reached. 45
- 13. You are required to sample at the frequency and type indicated in your permit.
- Send the completed form to your Dept. of Environmental Quality Regional Office by the 10th of each month. 4
- 15. You are required to retain a copy of the report for your records.
- Where violations of permit requirements are reported, attach a brief explanation in accordance with the permit requirements describing causes and corrective actions taken. Reference each violation by date. 16.
- 17. If you have any questions, contact the Dept. of Environmental Quality Regional Office.

Based on their review of the application, the VDH had no objections to the draft permit, as stated by memorandum dated October 1, 2008 and received at DEQ on October 2, 2008.

EPA COMMENTS RECEIVED ON DRAFT PERMIT: Document any comments received from the U.S. Environmental Protection Agency and noted how resolved.

EPA waived the right to comment and/or object to the adequacy of the draft permit.

ADJACENT STATE COMMENTS RECEIVED ON DRAFT PERMIT: Document any comments received from an adjacent state and noted how resolved.

Not Applicable.

OTHER AGENCY COMMENTS RECEIVED ON DRAFT PERMIT: Document any comments received from any other agencies (e.g., VIMS, VMRC, DGIF, etc.) and noted how resolved.

Not Applicable.

OTHER COMMENTS RECEIVED FROM RIPARIAN OWNERS/CITIZENS ON DRAFT PERMIT: Document any comments received from other sources and note how resolved.

The application and draft permit have received public notice in accordance with the VPDES Permit Regulation, and no comments were received.

PUBLIC NOTICE INFORMATION: Comment Period: Start Date: February 20, 2009
End Date: March 23, 2009

Persons may comment in writing or by e-mail to the DEQ on the proposed reissuance of the permit within 30 days from the date of the first notice. Address all comments to the contact person listed below. Written or e-mail comments shall include the name, address, and telephone number of the writer, and shall contain a complete, concise statement of the factual basis for comments. Only those comments received within this period will be considered. The Director of the DEQ may decide to hold a public hearing if public response is significant. Requests for public hearings shall state the reason why a hearing is requested, the nature of the issues proposed to be raised in the public hearing and a brief explanation of how the requestor's interests would be directly and adversely affected by the proposed permit action.

All pertinent information is on file and may be inspected, and arrangements made for copying by contacting Kevin A. Crider at: Department of Environmental Quality (DEQ), Blue Ridge Regional Office, 7705 Timberlake Road, Lynchburg, VA 24502. Telephone: (434) 582-6212 E-mail: kacrider@deq.virginia.gov

Following the comment period, the Board will make a determination regarding the proposed reissuance. This determination will become effective, unless the Director grants a public hearing. Due notice of any public hearing will be given.

30. ADDITIONAL FACT SHEET COMMENTS/PERTINENT INFORMATION:

The permittee is current with their annual permit maintenance fees.

The facility updated the Financial Assurance (FA) Closure Plan and Cost Estimate on May 5, 2008 and approved on July 11, 2008 to reflect the upgraded plant. All FA documentation is filed with DEQ Regional office and the Office of Financial Management.

31. SUMMARY OF SPECIFIC ATTACHMENTS LABELED AS:

| Attachment 1 | Site Inspection Report/Memorandum |
|----------------|--|
| Attachment 2 | Discharge Location/Topographic Map |
| Attachment 3 | Schematic/Plans & Specs/Site Map/Water Balance |
| Attachment 4 | Discharge/Outfall Description |
| Attachment 5 | Limitations/Monitoring |
| Attachment 6 | Special Conditions |
| Attachment 7 | Effluent/Sludge/Ground Water Limitations/Monitoring Rationale/Suitable Data/ |
| | Stream Modeling/Antidegradation/Antibacksliding |
| Attachment 8 | Special Conditions Rationale |
| Attachment n/a | Material Stored |
| Attachment 9 | Receiving Waters Info./Tier Determination/STORET Data |
| Attachment n/a | 303(d) Listed Segments |
| Attachment 10 | TABLE A and TABLE B - Change Sheets |
| Attachment n/a | NPDES Industrial Permit Rating Worksheet |
| Attachment 11 | EPA/Virginia Draft Permit Submission Checklist |
| Attachment 12 | Chronology Sheet |
| Attachment n/a | |



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Permit No.:

VA0062031

Effective Date:

April 8, 2009

Expiration Date:

April 7, 2014

AUTHORIZATION TO DISCHARGE UNDER THE

VIRGINIA POLLUTANT DISCHARGE ELIMINATION SYSTEM

AND

THE VIRGINIA STATE WATER CONTROL LAW

In compliance with the provisions of the Clean Water Act as amended and pursuant to the State Water Control Law and regulations adopted pursuant thereto, the following owner is authorized to discharge in accordance with the information submitted with the permit application, and with this permit cover page, and Parts I and II of this permit, as set forth herein.

Owner:

Royal Mobile Homes, Inc.

Facility Name:

Evergreen Mobile Home Park STP

City/County:

Campbell County, Virginia

Facility Location:

400 Kettle Lane, Rustburg, Virginia 24588

The owner is authorized to discharge to the following receiving stream:

Stream:

Unnamed tributary to Tussocky Creek

River Basin:

James River

River Subbasin:

James River (Upper)

Section:

11e

Class:

III

Special Standards:

None

Steven A. Dietrich, P.E.

Regional Director, Blue Ridge Regional Office

April 2009

Date

Permit No. VA0062031 Page 1 of 5 Part I

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS Ä

During the period beginning with the permit's effective date and lasting until the permit's expiration date, the permittee is authorized to discharge from outfall serial number 001(Final effluent following post-aeration).

Such discharges shall be limited and monitored by the permittee as specified below:

| | | | | | THE PROPERTY OF THE PARTY OF TH | | | |
|--------------------------------------|------------|--------------------|---------|-----------------------|--|---------|--------------|----------------|
| EFFLUENT | | | DISCHAF | DISCHARGE LIMITATIONS | TIONS | | MONITORING | ING |
| CHARACTERISTICS | | | | | | | KEQUIKEMENIS | ENIS |
| n ng sec | MO] AVJ | MONTHLY AVERAGE | WE | WEEKLY AVERAGE | MINIMUM | MAXIMUM | FREQUENCY | SAMPLE TYPE |
| | mg/l* | kg/day* | mg/l* | kg/d* | mg/1* | mg/l* | | |
| Flow (MGD) [a] | | NL | | NA | NA | K | 1/Day | Estimate |
| cBOD5 [b] | 14 | 1.27 | 21 | 1.9 | NA | NA | 1/Month | Grab |
| Total Suspended Solids | 30 | 2.7 | 45 | 4.08 | NA | NA | 1/Month | Grab |
| Ammonia as N [b] | 2.05 | NA | 2.05 | NA | NA | NA | 1/Month | Grab |
| Dissolved Oxygen | | NA | | NA | 0.9 | NA NA | 1/Day | Grab |
| pH (standard units) | | NA | | NA | 0.9 | 0.6 | 1/Day | Grab |
| Total Kjeldahl Nitrogen [b] | 7.0 | 69.0 | 10.5 | 0.95 | NA | NA | 1/Month | Grab |
| E. coli (N/CML - geometric mean) [c] | | 126 | | NA | NA | NA | I/Week | Grab |

NA = NOT APPLICABLE * = UNLESS OTHERWISE NOTED

NL = NO LIMIT, MONITORING REQUIREMENT ONLY

See Part I.B.6. for additional flow requirements.

See Parts I.B.7.a. and I.B.7.b. for quantification levels and reporting requirements, respectively. <u>교</u>고

Samples shall be taken between the hours of 10:00 a.m. and 4:00 p.m.

The design flow of this treatment facility is 0.024 MGD. e e

The 30-day average percent removal for BOD5 and TSS shall not be less than 85 percent for this effluent.

There shall be no discharge of floating solids or visible foam in other than trace amounts. ပ

B. OTHER REQUIREMENTS OR SPECIAL CONDITIONS

1. Sludge Reopener

This permit may be modified or, alternatively, revoked and reissued if any applicable standard for sewage sludge use or disposal promulgated under Section 405(d) of the Clean Water Act is more stringent than any requirements for sludge use or disposal in this permit, or controls a pollutant or practice not limited in this permit.

2. Financial Assurance and Disclosure to Purchasers

The permittee shall provide continuous coverage to implement the approved closure plan until released from financial assurance requirements by the State Water Control Board. If a transfer of ownership or operational control of this facility occurs, the permittee shall comply with the requirements of 9 VAC 25-650 until the new owner or operator has demonstrated compliance with the requirements of 9 VAC 25-650. Failure to maintain adequate financial assurance in accordance with 9 VAC 25-650 shall be a basis for termination of this VPDES permit.

During the term of this VPDES permit, the permittee shall revise the closure plan implementation cost estimate concurrently with any revision made to the closure plan which increases the closure plan cost. At a minimum, the permittee shall annually adjust the closure plan implementation cost estimate in accordance with 9 VAC 25-650 within 60 days prior to the anniversary date of the establishment of the approved financial assurance mechanism.

Annual Review/Adjustment Due: No later than July 20th of 2009, 2010, 2011, 2012 and 2013.

The permittee shall disclose the provisions of this permit to all purchasers of property served by this permitted facility in accordance with Section 55-519 of the Code of Virginia.

3. Licensed Wastewater Operator Requirement

The permittee shall employ or contract at least one Class III licensed wastewater works operator for the facility. The license shall be issued in accordance with Title 54.1 of the Code of Virginia and the regulations of the Board for Waterworks and Wastewater Works Operators. The permittee shall notify the DEQ Regional Office, in writing, whenever he is not complying, or has grounds for anticipating he will not comply with this requirement. The notification shall include a statement of reasons and a prompt schedule for achieving compliance.

4. Reliability Class Requirement

The permitted treatment works shall meet Reliability Class III.

5. Operations and Maintenance (O & M) Manual

The permittee shall review the existing O & M Manual and notify the DEQ Regional Office, in writing, that it is still accurate and complete. If the O & M Manual is no longer accurate and complete, a revised O & M Manual shall be submitted for approval to the DEQ Regional Office. The permittee shall maintain an accurate, approved O & M Manual for the treatment works and operate the treatment works in accordance with the approved O & M manual. This manual shall include, but not necessarily be limited to, the following items, as appropriate:

- a. Treatment works design and operation, routine preventative maintenance of units within the treatment system, critical spare parts inventory and record keeping;
- Procedures for measuring and recording the duration and volume of treated wastewater discharged;
- c. Techniques to be employed in the collection, preservation and analysis of effluent samples; and,
- d. Procedures for handling, storing, and disposing of all wastes, fluids, and pollutants characterized in Part I.B.8. (Materials Handling and Storage) that will prevent these materials from reaching state waters.

Letter/Revised Manual Due: No later than October 10, 2009.

6. 95% Design Capacity Notification

A written notice and a plan of action for ensuring continued compliance with the terms of this permit shall be submitted to the DEQ Regional Office when the monthly average flow influent to the sewage treatment plant reaches 95 percent of the design capacity authorized in this permit for each month of any three consecutive month period. The written notice shall be submitted within 30 days and the plan of action shall be received at the DEQ Regional Office no later than 90 days from the third consecutive month for which the flow reached 95 percent of the design capacity. The plan shall include the necessary steps and a prompt schedule of implementation for controlling any current or reasonably anticipated problem resulting from high influent flows. Failure to submit an adequate plan in a timely manner shall be deemed a violation of this permit.

7. Compliance Reporting Under Part I.A. and I.B.

- a. Quantification Levels
 - (1) Maximum quantification levels (QL) shall be as follows:

| Effluent Characteristic | Quantification Level |
|---|------------------------------------|
| cBOD ₅ Ammonia Total Kjeldahl Nitrogen | 5.0 mg/l 0.20 mg/l 0.50 mg/l |

- (2) The permittee may use any approved method which has a QL equal to or lower than the QL listed in a.(1) above. The QL is defined as the lowest concentration used to calibrate a measurement system in accordance with the procedures published for the method.
- (3) It is the responsibility of the permittee to ensure that proper QA/QC protocols are followed during the sampling and analytical procedures. QA/QC information shall be documented to confirm that appropriate analytical procedures have been used and the required QLs have been attained.

b. Reporting

(1) Monthly Average -- Compliance with the monthly average limitations and/or reporting requirements for the parameters listed in a.(1) above shall be determined as

follows: All concentration data below the test method QL shall be treated as zeros. All concentration data equal to or above the QL shall be treated as reported. An arithmetic average shall be calculated using all reported data for the month, including the defined zeros. This arithmetic average shall be reported on the DMR as calculated. If all data are below the QL, then the average shall be reported as "<QL". If reporting for quantity is required on the DMR and the calculated concentration is <QL, then report "<QL" for the quantity; otherwise, use the calculated concentration to calculate the quantity.

- Maximum Weekly Average -- Compliance with the weekly average limitations and/or reporting requirements for the parameters listed in a.(1) above shall be determined as follows: All concentration data below the test method QL shall be treated as zeros. All concentration data equal to or above the QL shall be treated as reported. An arithmetic average shall be calculated using all reported data, including the defined zeros, collected within each complete calendar week entirely contained within the reporting month. The maximum value of the weekly averages thus determined shall be reported on the DMR. If all data for each weekly average are below the QL, then the average shall be reported as "<QL". If reporting for quantity is required on the DMR and the calculated concentration for each weekly average is <QL, then report "<QL" for the quantity; otherwise, use the calculated maximum value of the weekly averages to calculate the quantity.
- (3) Any single datum required shall be reported as "<QL" if it is less than the test method QL listed in a.(1) above. Otherwise, the numerical value shall be reported.

8. Materials Handling and Storage

Any and all product, materials, industrial wastes, and/or other wastes resulting from the purchase, sale, mining, extraction, transport, preparation and/or storage of raw or intermediate materials, final product, by-product or wastes, shall be handled, disposed of and/or stored in such a manner so as not to permit a discharge of such product, materials, industrial wastes and/or other wastes to State waters, except as expressly authorized.

9. Indirect Dischargers

The permittee shall provide adequate notice to the DEQ Regional Office of the following:

- a. Any new introduction of pollutants into the treatment works from an indirect discharger which would be subject to Section 301 or 306 of Clean Water Act and the State Water Control Law if it were directly discharging those pollutants; and
- b. Any substantial change in the volume or character of pollutants being introduced into the treatment works by a source introducing pollutants into the treatment works at the time of issuance of this permit.

Adequate notice shall include information on (i) the quality and quantity of effluent introduced into the treatment works, and (ii) any anticipated impact of the change on the quantity or quality of effluent to be discharged from the treatment works.

10. Sludge Management Plan

The permittee shall conduct all sewage sludge use or disposal activities in accordance with the Sludge Management Plan (SMP) approved with the issuance of this permit. Any proposed changes in the sewage sludge use or disposal practices or procedures followed by the permittee shall be documented and submitted for Department of Environmental Quality and Department of Health approval 90 days prior to the effective date of the changes. Upon approval, the revised SMP becomes an enforceable part of the permit. The permit may be modified or, alternatively, revoked and reissued to incorporate limitations or conditions necessitated by substantive changes in sewage sludge use or disposal practices.

11. Permit Application Requirement

In accordance with Part II. M. of this permit, a new and complete permit application shall be submitted for the reissuance of this permit.

Application Due: No later than October 9, 2013.

CONDITIONS APPLICABLE TO ALL VPDES PERMITS

A. Monitoring

- Samples and measurements taken as required by this permit shall be representative of the monitored activity.
- 2. Monitoring shall be conducted according to procedures approved under Title 40 Code of Federal Regulations Part 136 or alternative methods approved by the U.S. Environmental Protection Agency, unless other procedures have been specified in this permit.
- 3. The permittee shall periodically calibrate and perform maintenance procedures on all monitoring and analytical instrumentation at intervals that will insure accuracy of measurements.

B. Records

- 1. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The individual(s) who performed the sampling or measurements;
 - c. The date(s) and time(s) analyses were performed;
 - d. The individual(s) who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.
- 2. Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, the permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the sample, measurement, report or application. This period of retention shall be extended automatically during the course of any unresolved litigation regarding the regulated activity or regarding control standards applicable to the permittee, or as requested by the Board.

C. Reporting Monitoring Results

1. The permittee shall submit the results of the monitoring required by this permit not later than the 10th day of the month after monitoring takes place, unless another reporting schedule is specified elsewhere in this permit. Monitoring results shall be submitted to:

Virginia Department of Environmental Quality South Central Regional Office 7705 Timberlake Road Lynchburg, Virginia 24502

2. Monitoring results shall be reported on a Discharge Monitoring Report (DMR) or on forms provided, approved or specified by the Department.

- 3. If the permittee monitors any pollutant specifically addressed by this permit more frequently than required by this permit using test procedures approved under Title 40 of the Code of Federal Regulations Part 136 or using other test procedures approved by the U.S. Environmental Protection Agency or using procedures specified in this permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or reporting form specified by the Department.
- 4. Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified in this permit.

D. <u>Duty to Provide Information</u>

The permittee shall furnish to the Department, within a reasonable time, any information which the Board may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The Board may require the permittee to furnish, upon request, such plans, specifications, and other pertinent information as may be necessary to determine the effect of the wastes from his discharge on the quality of state waters, or such other information as may be necessary to accomplish the purposes of the State Water Control Law. The permittee shall also furnish to the Department upon request, copies of records required to be kept by this permit.

E. Compliance Schedule Reports

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.

F. Unauthorized Discharges

Except in compliance with this permit, or another permit issued by the Board, it shall be unlawful for any person to:

- 1. Discharge into state waters sewage, industrial wastes, other wastes, or any noxious or deleterious substances; or
- 2. Otherwise alter the physical, chemical or biological properties of such state waters and make them detrimental to the public health, or to animal or aquatic life, or to the use of such waters for domestic or industrial consumption, or for recreation, or for other uses.

G. Reports of Unauthorized Discharges

Any permittee who discharges or causes or allows a discharge of sewage, industrial waste, other wastes or any noxious or deleterious substance into or upon state waters in violation of Part II F; or who discharges or causes or allows a discharge that may reasonably be expected to enter state waters in violation of Part II F, shall notify the Department of the discharge immediately upon discovery of the discharge, but in no case later than 24 hours after said discovery. A written report of the unauthorized discharge shall be submitted to the Department, within five days of discovery of the discharge. The written report shall contain:

- 1. A description of the nature and location of the discharge;
- 2. The cause of the discharge;
- 3. The date on which the discharge occurred;
- 4. The length of time that the discharge continued;
- 5. The volume of the discharge;
- 6. If the discharge is continuing, how long it is expected to continue;
- 7. If the discharge is continuing, what the expected total volume of the discharge will be; and

8. Any steps planned or taken to reduce, eliminate and prevent a recurrence of the present discharge or any future discharges not authorized by this permit.

Discharges reportable to the Department under the immediate reporting requirements of other regulations are exempted from this requirement.

H. Reports of Unusual or Extraordinary Discharges

If any unusual or extraordinary discharge including a bypass or upset should occur from a treatment works and the discharge enters or could be expected to enter state waters, the permittee shall promptly notify, in no case later than 24 hours, the Department by telephone after the discovery of the discharge. This notification shall provide all available details of the incident, including any adverse affects on aquatic life and the known number of fish killed. The permittee shall reduce the report to writing and shall submit it to the Department within five days of discovery of the discharge in accordance with Part II I 2. Unusual and extraordinary discharges include but are not limited to any discharge resulting from:

- 1. Unusual spillage of materials resulting directly or indirectly from processing operations;
- 2. Breakdown of processing or accessory equipment;
- 3. Failure or taking out of service some or all of the treatment works; and
- 4. Flooding or other acts of nature.

I. Reports of Noncompliance

The permittee shall report any noncompliance which may adversely affect state waters or may endanger public health.

- 1. An oral report shall be provided within 24 hours from the time the permittee becomes aware of the circumstances. The following shall be included as information which shall be reported within 24 hours under this paragraph:
 - a. Any unanticipated bypass; and
 - b. Any upset which causes a discharge to surface waters.
- 2. A written report shall be submitted within 5 days and shall contain:
 - a. A description of the noncompliance and its cause;
 - b. The period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and
 - c. Steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

The Board may waive the written report on a case-by-case basis for reports of noncompliance under Part II I if the oral report has been received within 24 hours and no adverse impact on state waters has been reported.

3. The permittee shall report all instances of noncompliance not reported under Parts II I 1 or 2, in writing, at the time the next monitoring reports are submitted. The reports shall contain the information listed in Part II I 2.

NOTE: The immediate (within 24 hours) reports required in Parts II G, H and I may be made to the Department's Regional Office at (434) 582-5120 (voice) or (434) 582-5125 (fax). For reports outside normal working hours, leave a message and this shall fulfill the immediate reporting requirement. For emergencies, the Virginia Department of Emergency Services maintains a 24 hour telephone service at 1-800-468-8892.

Permit No. VA0062031 Part II Page 4 of 8

J. <u>Notice of Planned Changes</u>

- 1. The permittee shall give notice to the Department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:
 - a. The permittee plans alteration or addition to any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced:
 - (1) After promulgation of standards of performance under Section 306 of Clean Water Act which are applicable to such source; or
 - (2) After proposal of standards of performance in accordance with Section 306 of Clean Water Act which are applicable to such source, but only if the standards are promulgated in accordance with Section 306 within 120 days of their proposal;
 - b. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations nor to notification requirements specified elsewhere in this permit; or
 - c. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan.
- 2. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

K. Signatory Requirements

- 1. Applications. All permit applications shall be signed as follows:
 - a. For a corporation: by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means: (i) A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second-quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;
 - b. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or
 - c. For a municipality, state, federal, or other public agency: By either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a public agency includes: (i) The chief executive officer of the agency, or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency.
- 2. Reports, etc. All reports required by permits, and other information requested by the Board shall be signed by a person described in Part II K 1, or by a duly authorized representative of that person. A person is a duly authorized representative only if:
 - a. The authorization is made in writing by a person described in Part II K 1;

- b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.); and
- c. The written authorization is submitted to the Department.
- 3. Changes to authorization. If an authorization under Part II K 2 is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of Part II K 2 shall be submitted to the Department prior to or together with any reports, or information to be signed by an authorized representative.
- 4. Certification. Any person signing a document under Parts II K 1 or 2 shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

L. <u>Duty to Comply</u>

The permittee shall comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the State Water Control Law and the Clean Water Act, except that noncompliance with certain provisions of this permit may constitute a violation of the State Water Control Law but not the Clean Water Act. Permit noncompliance is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application.

The permittee shall comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutants and with standards for sewage sludge use or disposal established under Section 405(d) of the Clean Water Act within the time provided in the regulations that establish these standards or prohibitions or standards for sewage sludge use or disposal, even if this permit has not yet been modified to incorporate the requirement.

M. Duty to Reapply

If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee shall apply for and obtain a new permit. All permittees with a currently effective permit shall submit a new application at least 180 days before the expiration date of the existing permit, unless permission for a later date has been granted by the Board. The Board shall not grant permission for applications to be submitted later than the expiration date of the existing permit.

N. Effect of a Permit

This permit does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorize any injury to private property or invasion of personal rights, or any infringement of federal, state or local law or regulations.

Permit No. VA0062031 Part II Page 6 of 8

O. State Law

Nothing in this permit shall be construed to preclude the institution of any legal action under, or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any other state law or regulation or under authority preserved by Section 510 of the Clean Water Act. Except as provided in permit conditions on "bypassing" (Part II U), and "upset" (Part II V) nothing in this permit shall be construed to relieve the permittee from civil and criminal penalties for noncompliance.

P. Oil and Hazardous Substance Liability

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject under Sections 62.1-44.34:14 through 62.1-44.34:23 of the State Water Control Law.

Q. Proper Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes effective plant performance, adequate funding, adequate staffing, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems which are installed by the permittee only when the operation is necessary to achieve compliance with the conditions of this permit.

R. Disposal of solids or sludges

Solids, sludges or other pollutants removed in the course of treatment or management of pollutants shall be disposed of in a manner so as to prevent any pollutant from such materials from entering state waters.

S. <u>Duty to Mitigate</u>

The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.

T. Need to Halt or Reduce Activity not a Defense

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

U. Bypass

1. "Bypass" means the intentional diversion of waste streams from any portion of a treatment facility. The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of Parts II U 2 and U 3.

2. Notice

- a. Anticipated bypass. If the permittee knows in advance of the need for a bypass, prior notice shall be submitted, if possible at least ten days before the date of the bypass.
- b. Unanticipated bypass. The permittee shall submit notice of an unanticipated bypass as required in Part II I.

3. Prohibition of bypass.

a. Bypass is prohibited, and the Board may take enforcement action against a permittee for bypass, unless:

- (1) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
- (2) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
- (3) The permittee submitted notices as required under Part II U 2.
- b. The Board may approve an anticipated bypass, after considering its adverse effects, if the Board determines that it will meet the three conditions listed above in Part II U 3 a.

V. Upset

- 1. An upset constitutes an affirmative defense to an action brought for noncompliance with technology based permit effluent limitations if the requirements of Part II V 2 are met. A determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is not a final administrative action subject to judicial review.
- 2. A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - a. An upset occurred and that the permittee can identify the cause(s) of the upset;
 - b. The permitted facility was at the time being properly operated;
 - c. The permittee submitted notice of the upset as required in Part II I; and
 - d. The permittee complied with any remedial measures required under Part II S.
- 3. In any enforcement proceeding the permittee seeking to establish the occurrence of an upset has the burden of proof.

W. <u>Inspection and Entry</u>

The permittee shall allow the Director, or an authorized representative, upon presentation of credentials and other documents as may be required by law, to:

- 1. Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
- 2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- 3. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- 4. Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act and the State Water Control Law, any substances or parameters at any location.

For purposes of this section, the time for inspection shall be deemed reasonable during regular business hours, and whenever the facility is discharging. Nothing contained herein shall make an inspection unreasonable during an emergency.

Permit No. VA0062031 Part II Page 8 of 8

X. Permit Actions

Permits may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Y. Transfer of permits

- 1. Permits are not transferable to any person except after notice to the Department. Except as provided in Part II Y 2, a permit may be transferred by the permittee to a new owner or operator only if the permit has been modified or revoked and reissued, or a minor modification made, to identify the new permittee and incorporate such other requirements as may be necessary under the State Water Control Law and the Clean Water Act.
- 2. As an alternative to transfers under Part II Y 1, this permit may be automatically transferred to a new permittee if:
 - a. The current permittee notifies the Department at least 30 days in advance of the proposed transfer of the title to the facility or property;
 - b. The notice includes a written agreement between the existing and new permittees containing a specific date for transfer of permit responsibility, coverage, and liability between them; and
 - c. The Board does not notify the existing permittee and the proposed new permittee of its intent to modify or revoke and reissue the permit. If this notice is not received, the transfer is effective on the date specified in the agreement mentioned in Part II Y 2 b.

Z. Severability

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.